

WHAT IT TAKES TO PROTECT™

TESTED
EFFECTIVE
AGAINST
COVID-19
VIRUS*
PROVEN



Is Lysol® Advanced Deep Clean All Purpose Cleaner Effective Against COVID-19?

Lysol® Advanced Deep Clean All Purpose Cleaner is effective against SARS-CoV-2, the virus that causes COVID-19, in 2 minutes*

*Lysol® Advanced Deep Clean All Purpose Cleaner is effective against SARS-CoV-2, the virus that causes COVID-19, in 2 minutes when used as directed on hard, non-porous surfaces
**When used as directed



Lysol® Advanced Deep Clean All Purpose Cleaner



WHAT IT TAKES TO PROTECT™

LYSOL® Advanced Deep Clean All Purpose Cleaner helps to deliver deep-cleaned and disinfected surfaces. The Advanced formula offers superior grease cutting performance,^{***} powering through the toughest cleaning jobs and eliminating 99.9% of viruses and bacteria on hard, nonporous surfaces.^{**}

KILLS 99.9% OF BACTERIA IN 10 SECONDS**



Powerful Cleaning Capabilities

- Disinfects SARS-CoV-2 (the virus that causes COVID-19) in 2 minutes^{*}
- Kills 99.9% of bacteria in 10 seconds^{**}
- 2 minute disinfection for bacteria and viruses, including Cold & Flu Viruses, MRSA, Bloodborne Pathogens and other microorganisms on hard, nonporous surfaces^{**}
- Advanced formulation offers superior grease cutting performance^{***}
- Cuts through stubborn stains and spills
- Lemon Breeze® Scent

How to Use in Your Facility

- To Clean:** Apply to surface until thoroughly wet. Wipe with a clean cloth or sponge.
- To Clean Greasy Soil:** Leave for 15-20 seconds to penetrate soil before wiping.
- To Sanitize:** Leave for 10 seconds before wiping.
- To Disinfect:** Leave for 2 minutes before wiping.
- Ideal for use on:** Frequently touched surfaces, such as door handles, countertops, tables, garbage cans, stainless steel, glazed tile, glazed porcelain and enamel.^{***}

Case Pack	Item Number	Distributor Number
32 oz./12		

EPA Registration No: 777-91

^{*}Lysol® Advanced Deep Clean All Purpose Cleaner is effective against SARS-CoV-2, the virus that causes COVID-19, in 2 minutes when used as directed on hard, non-porous surfaces

^{**}When used as directed

^{***}Compared to Lysol® All Purpose Cleaner – Trigger – Lemon Breeze®

^{****}Not recommended for use on aluminum, copper, unfinished wood, corian countertops, or vinyl floor tile





Effective Against the Following Microorganisms**

Bacteria / Fungi - Disinfection	Contact Time
Acinetobacter baumannii MDR	2 minutes
Bordetella pertussis	2 minutes
Campylobacter jejun	2 minutes
Candida albicans	2 minutes
Enterobacter aerogenes MDR	2 minutes
(Vancomycin Resistant) Enterococcus faecalis [VRE]	2 minutes
Escherichia coli	2 minutes
Escherichia coli O111:H8	2 minutes
Escherichia coli O157:H7	2 minutes
Klebsiella pneumoniae NDM-1 positive	2 minutes
Klebsiella pneumoniae Carbapenem resistant	2 minutes
Legionella pneumophila	2 minutes
Listeria monocytogenes	2 minutes
Pseudomonas aeruginosa	2 minutes
Salmonella enterica	2 minutes
Salmonella enterica serovar typhi	2 minutes
Serratia marcescens	2 minutes
Shigella dysenteriae	2 minutes
Staphylococcus aureus	2 minutes
(Methicillin Resistant) Staphylococcus aureus [MRSA]	2 minutes
(Community-Associated Methicillin Resistant) Staphylococcus aureus - CA-MRSA USA-300	2 minutes
(Vancomycin Resistant) Staphylococcus aureus - VRSA	2 minutes
Streptococcus pyogenes (Strep)	2 minutes
Vibrio cholerae	2 minutes
Yersinia enterocolotica	2 minutes
(Vancomycin Resistant) Enterococcus faecalis [VRE]	10 minutes
Bacteria - Sanitization	Contact Time
Enterococcus faecalis [VRE]	30 seconds
Escherichia coli O157:H7	30 seconds
Klebsiella pneumoniae	30 seconds
Salmonella enterica	30 seconds
Staphylococcus aureus	30 seconds
Staphylococcus aureus [MRSA]	30 seconds
Streptococcus pyogenes	30 seconds
(Vancomycin Resistant) Enterococcus faecalis [VRE]	10 seconds
Escherichia coli O157:H7	10 seconds
Klebsiella pneumoniae	10 seconds
Salmonella enterica	10 seconds
Staphylococcus aureus	10 seconds
Staphylococcus aureus (Methicillin Resistant) [MRSA]	10 seconds
Streptococcus pyogenes	10 seconds

Virus - Disinfection	Contact Time
Canine Distemper Virus	2 minutes
(Human) Coronavirus	2 minutes
Cytomegalovirus	2 minutes
Hepatitis B Virus (HBV) (DHBV - surrogate)	2 minutes
Hepatitis C Virus (HCV) (BVDV - surrogate)	2 minutes
Herpes Simplex Virus Type 1	2 minutes
Herpes Simplex Virus Type 2	2 minutes
Human Immunodeficiency Virus (HIV) Type 1	2 minutes
Infectious Bovine Rhinotracheitis	2 minutes
Influenza A (Flu virus)	2 minutes
(Avian) Influenza A (H1N1) Virus	2 minutes
Influenza A (2009-H1N1) Virus	2 minutes
(Avian) Influenza A (H3N2) Reassortant Virus	2 minutes
(Avian) Influenza A (H7N9) Virus	2 minutes
Newcastle Disease Virus	2 minutes
Parainfluenza Virus Type 3	2 minutes
Pseudorabies Virus	2 minutes
Rabies Virus	2 minutes
Respiratory Syncytial Virus (RSV)	2 minutes
SARS Coronavirus	2 minutes
Transmissible Gastroenteritis virus (TGE)	2 minutes
Vaccinia Virus	2 minutes
SARS-CoV-2 (USA-WA1/2020)	2 minutes
Influenza A2 [Japan 305/57] (flu virus)	10 minutes
Mildew Fungistat - Disinfection	Contact Time
Aspergillus niger	3 minutes

